INDEX TO VOLUME XXXV

AUTHORS

Page

Anderson, R. A. (see V. F. Pfeifer) 458
———, **V. F. Pfeifer, and E. B. Lancaster.** Continuous batter process for separating gluten from wheat flour 449
Andrews, J. S. (see K. A. Gilles) 374
Anker, C. A. (see K. A. Gilles) 374

Baker, G. J., E. N. Greer, J. J. C. Hinton, C. R. Jones, and D. J. Stevens. The effect on flour color of Cladosporium growth on wheat 260
Barber, Joan, and Barbara M. Kennedy. Relationships among dough ingredients, water absorption, moisture content of bread, and bread yield 201
Batcher, Olive M., Ruby R. Little, Elsie H. Dawson, and J. T. Hogan. Cooking quality of white rice milled from rough rice dried at different temperatures 428
Baxter, Elma J., and E. Elizabeth Hester. The effect of sucrose on gluten development and the solubility of the proteins of a soft wheat flour 366
Bechtel, W. G. (see W. K. Calhoun) 350
——— (see K. Kulp) 276
———, **and C. M. Hollenbeck.** A revised thiochrome procedure for the determination of thiamine in cereal products 1
Bhatti, M. B., and A. G. McCalla. (Communication to the Editor) Effects of water-saturated n-butanol on gluten 240
Bilinski, E., and W. B. McConnell. Studies on wheat plants using Carbon-14 compounds. VI. Some observations on protein biosynthesis 66
Black, D. R. (see J. W. Pence) 15
Blessin, C. W., C. H. Van Etten, and R. Wiebe. Carotenoid content of the grain from yellow endosperm-type sorghums 359
Bloksma, A. H. A calculation of the shape of the alveograms of materials showing structural viscosity 323
Blum, A. E. (see M. J. Horn) 411
Bradley, W. B. (see W. K. Calhoun) 350
Bressani, R. (see E. T. Mertz) 146
———, **and E. T. Mertz.** Studies on corn proteins. IV. Protein and amino acid content of different corn varieties 227

Caldwell, E. F. (see B. Grogg) 196
Calhoun, W. K., W. G. Bechtel, and W. B. Bradley. The vitamin content of wheat, flour, and bread 350
Campbell, J. D. The effect of mechanical damage to wheat grains during scouring on their subsequent absorption of water during washing 47
Christensen, C. M. (see G. C. Papavizas) 27
Craine, E. M., and K. E. Fahrenholtz. The proteins in water extracts of corn 245
Cunningham, D. K., and I. Hlynka. Flour lipids and the bromate reaction 401

Dawson, Elsie H. (see Olive M. Batcher) 428
——— (see Ruby R. Little) 111
Day, Katherine M. (see J. M. Lawrence) 169
Deatherage, W. L. (see R. R. Savage) 392
———, **and Majel M. MacMasters.** A method for determination of bran in flour 380
Dempster, C. J., and I. Hlynka. Some effects of the mixing process on the physical properties of dough 483
Deuel, H. (see H. Neukom) 220

Earle, F. R. (see T. A. McGuire) 179

Fahrenholtz, K. E. (see E. M. Craine) 245
Feinstein, L. (see J. R. Hart) 395
Ferrigan, Madelyn, and W. F. Geddes. The distribution of lipase in the commercial mill products from hard red spring wheat 422
Fifield, C. C. (see M. J. Horn) 411
Finlayson, A. J. (see C. C. Lee) 337

Frey, K. J. (see S. C. Wiggans) . . 235
Fukawa, H. (see T. Shimizu) 34

Geddes, W. F. (see Madelyn Ferrigan) 422
Gilles, K. A., C. A. Anker, D. H. Wheeler, and J. S. Andrews. Some observations on the constitution of wheat flour lipids isolated from unbleached and chlorine dioxide-treated flours 374
Goatley, J. L. (see R. L. Whistler) 331
Greer, E. N. (see G. J. Baker) . . . 260
Grogg, B., and E. F. Caldwell. Gelatinization of starchy materials in the farinograph 196
———, **and Diane Melms.** A modification of the Extensograph® for study of the relaxation of externally applied stress in wheat dough 189

Harris, G., and I. C. MacWilliam. A note on the development of the starch of the ripening barley ear 82
Hart, J. R., and L. Feinstein. A method for the determination of the surface area of wheat kernels 395
Hester, E. Elizabeth (see Elma J. Baxter) 366
Hilder, Grace B. (see Ruby R. Little) 111
Hinton, J. J. C. (see G. J. Baker) . . 260
Hlynka, I. (see D. K. Cunningham) 401
——— (See C. J. Dempster) 483
Hogan, J. T., and R. W. Planck. Hydration characteristics of rice as influenced by variety and drying method 469
——— (see Olive M. Batcher) 428
Hollenbeck, C. M. (see W. G. Bechtel) 1
Horn, M. J., C. C. Fifield, A. E. Blum, and Helen W. Warren. The distribution of amino acids in wheat and certain wheat products 411
Huey, Edith (see J. M. Lawrence) 169

Ichiba, A. (see T. Shimizu) 34

Johnson, J. A. (see R. J. Robinson) 295, 306
Johnston, A. E. (see L. H. Mason) 435
Jones, C. R. (see G. J. Baker) 260
Jones, F. T. (see J. W. Pence) 15

Kennedy, Barbara M. (see Joan Barber) 201
Kulp, K., and W. G. Bechtel. The effect of temperature and air velocity on the freezing and defrosting rates of some bakery products. I. Dinner rolls and cinnamon rolls 276

Lancaster, E. B. (see R. A. Anderson) 449
——— (see C. W. Ofelt) 137
Lawrence, J. M., Katherine M. Day, Edith Huey, and Barbara Lee. Lysine content of wheat varieties, species, and related genera 169
Lee, Barbara (see J. M. Lawrence) 169
Lee, C. C., R. Tkachuk, and A. J. Finlayson. The conversion of Br-82-labeled bromate to bromide in nonfermenting and fermenting doughs and in baked bread 337
Little, Ruby R. (see Olive M. Batcher) 428
———, **Grace B. Hilder, and Elsie H. Dawson.** Differential effect of dilute alkali on 25 varieties of milled white rice 111
Lloyd, N. E. (see E. T. Mertz) . . . 146
———, **and E. T. Mertz.** Studies on corn proteins. III. The glutelins of corn 156
Lord, T. H. (see R. J. Robinson) 295, 306

McCalla, A. G. (see M. B. Bhatti) 240
McConnell, W. B. (see E. Bilinski) 66
McGuire, T. A., and F. R. Earle. Changes in the solubility of corn protein resulting from artificial drying of high-moisture corn . . . 179
MacMasters, Majel M. (see W. L. Deatherage) 380
——— (see C. W. Ofelt) 137
——— (see C. W. Ofelt) 142
——— (see R. R. Savage) 392
——— (see M. J. Wolf) 127
MacWilliam, I. C. (see G. Harris) 82
Mason, L. H., and A. E. Johnston. Comparative study of wheat flour phosphatides 435
Mehltretter, C. L. (see C. W. Ofelt) 142
Melms, Diane (see B. Grogg) 189
Mertz, E. T. (see R. Bressani) . . . 227
——— (see N. E. Lloyd) 156
———, **N. E. Lloyd, and R. Bressani.** Studies on corn proteins. II. Electrophoretic analysis of germ and endosperm extracts . . . 146
Miller, B. S. (see R. J. Robinson) 295, 306

Neukom, H., and H. Deuel. Effect of oxidized polysaccharides on dough and baking properties of wheat flour 220

Nikuni, Z. (see R. L. Whistler) . . 331

Ofelt, C. W., Majel M. MacMasters, Earl B. Lancaster, and F. R. Senti. Effect on crumb firmness. I. Mono- and diglycerides 137
———, **C. L. Mehltretter, Majel M. MacMasters, F. H. Otey, and F. R. Senti.** Effect on crumb firmness. II. Action of additives in relation to their chemical structure 142
Otey, F. H. (see C. W. Ofelt) 142

Papavizas, G. C., and C. M. Christensen. Grain storage studies. XXVI. Fungus invasion and deterioration of wheats stored at low temperatures and moisture contents of 15 to 18 per cent . . 27
Pence, J. W., and N. N. Standridge. Effects of storage temperature on firming of cake crumb 57
———, ———, **D. R. Black, and F. T. Jones.** White rings in frozen bread 15
Pfeifer, V. F. (see R. A. Andreson) 449
———, **C. Vojnovich, and R. A. Anderson.** Vital wheat gluten by drum-drying. I. Effect of processing variables 458
Planck, R. W. (see J. T. Hogan) . . 469

Robinson, R. J., T. H. Lord, J. A. Johnson, and B. S. Miller. The aerobic microbiological population of pre-ferments and the use of selected bacteria for flavor production 295
———, ———, ———, **and** ———. Studies on the decrease of the bacterial population in pre-ferments 306
Rowe, A. W., and C. E. Weill. The inhibition of beta-amylase by ascorbic acid 289

Savage, R. R., W. L. Deatherage, Majel M. MacMasters, and F. R. Senti. Note on a rapid method to screen corn samples for approximate amylose content in the starch 392
Seckinger, H. L. (see M. J. Wolf) 127
Senti, F. R. (see C. W. Ofelt) 137
——— (see C. W. Ofelt) 142
——— (see R. R. Savage) 392
Shimizu, T., H. Fukawa, and A. Ichiba. Physical properties of noodles 34
Sollars, W. F. Fractionation and reconstitution procedures for cake flours 85
———. Cake and cookie flour fractions affected by chlorine bleaching 100
Spencer, W. W. (see R. L. Whistler) 331
Standridge, N. N. (see J. W. Pence) 15
——— (see J. W. Pence) 57
Stevens, D. J. (see G. J. Baker) . . 260

Tkachuk, R. (see C. C. Lee) 337

Van Etten, C. H. (see C. W. Blessin) 359
Vojnovich, C. (see V. F. Pfeifer) . . 458

Warren, Helen W. (see M. J. Horn) 411
Watters, F. L. Value of cotton and jute flour bags in reducing infestation by the hairy spider beetle, Ptinus villiger (Reit.) 317
Weill, C. E. (see A. W. Rowe) . . 289
Wheeler, D. H. (see K. A. Gilles) . . 374
Whistler, R. L., W. W. Spencer, J. L. Goatley, and Z. Nikuni. Effect of drying on the presence of cavities in corn starch granules 331
Wiebe, R. (see C. W. Blessin) 359
Wiggans, S. C., and K. J. Frey. The ratio of alcohol-soluble to total nitrogen in developing oat seeds 235
Wolf, M. J., Majel M. MacMasters, and H. L. Seckinger. Composition of the cementing layer and adjacent tissues as related to germ-endosperm separation in corn 127

Zeleny, L. (Communication to the Editor) Use of Weston rolls for preparing small samples of flour 242

SUBJECTS

Page

Absorption
In wheat dough, effect on relaxation constants (Grogg and Melms) 189
Acetate-C-14
As tracer in wheat plants for biosynthesis study (Bilinski and McConnell) 66
Acid(s)
Acetic, for gluten extraction, vs. other acids (soft wheat flours) (Sollars) 85, 100
Acetic vs. sulfuric for extraction of thiamine in bread (Bechtel and Hollenbeck) 1
Amino, see **Amino acids;** individual amino acids
Ascorbic, amylase (beta-) inhibition by (reversed by cysteine) (Rowe and Weill) 289
Fatty, see **Fatty acids**
Periodic, for oxidation of polysaccharides (Neukom and Deuel) 220
Acid extraction of gluten in bleached cake flour (Sollars) .. 85
Air velocity, effect on freezing and defrosting rates of rolls (Kulp and Bechtel) 276
Albumin, in flour, specific activity with C-14 as tracer (Bilinski and McConnell) 66
Alkali (dilute), differential effect on milled white rice (Little, Hilder, and Dawson) 111
Alveograms of materials showing structural viscosity (Bloksma) 323
Amino acid(s) (see also individual amino acids)
In bread, losses during baking (Horn, Fifield, Blum, and Warren) 411
In corn, U. S. and Guatemalan varieties (Bressani and Mertz) 227
In feeds, microbiological assay, and distribution (Horn, Fifield, Blum, and Warren) 411
In glutelins, analyses (Lloyd and Mertz) 156
Microbiological assay in wheat, flour, bran, and shorts (Horn, Fifield, Blum, and Warren) 411
Radioactivity with C-14 compounds (Bilinski and McConnell) 66
Amylase, beta-, activity, and inhibition by ascorbic acid (reversed by cysteine) (Rowe and Weill) 289
Amylograms of soft wheat flour and reconstituted fractions, from sugar-flour batters (Baxter and Hester) 366
Amylose
In barley starch, changes during ripening of ear (Harris and MacWilliam) 82
In corn starch, screening of corn samples for (Savage, Deatherage, MacMasters, and Senti) 392
In rice, varietal differences (Hogan and Planck) 469
Antibiotic substances, I_1 and I_2, inhibitory to bacteria in pre-ferments (Robinson, Lord, Johnson, and Miller) 306
Antifirming agents, see **Bread crumb; Bread emulsifiers; Cake crumb**
Ash, in products of hard red spring wheat, vs. lipase activity (Ferrigan and Geddes) 422
Aspergillus glaucus, in stored wheat (Papavizas and Christensen) .. 27

Bacteria, see **Microorganisms**
Baked products, tenderizing effect of sugar on (Baxter and Hester) 366
Bakery practices, study of (Barber and Kennedy) 201
Baking properties, see **Baking tests**
Baking tests
Bread
for antifirming effect of shortening compounds (Ofelt, MacMasters, Lancaster, and Senti) 137
(Ofelt, Mehltretter, MacMasters, Otey, and Senti) .. 142
conversion of Br-82-labeled bromate to bromide (Lee, Tkachuk, and Finlayson) .. 337
for improved flavor through aerobic bacteria in pre-ferments (Robinson, Lord, Johnson, and Miller) 295
with mono- and diglycerides, for antifirming effect (Ofelt, MacMasters, Lancaster, and Senti) 137
yield vs. moisture content, dough ingredients, water absorption (Barber and Ken-

nedy) 201
Cake, see **Cakes**
Cookies, see **Cookies**
Of oxidized wheat starch and oxidized locust bean gum (Neukom and Deuel) 220
Barley, starch in, development during ripening of ear (Harris and MacWilliam) 82
Batter(s), sugar-flour (Baxter and Hester) 366
Batter process, continuous, for gluten separation, recovery of flour proteins in (Anderson, Pfeifer, and Lancaster) 449
Biosynthesis of proteins in wheat plants, study with C-14 as tracer (Bilinski and McConnell) 66
"Black-point" disease of wheat, effect on flour color (Baker, Greer, Hinton, Jones, and Stevens) 260
Bleaching of flour
Cake, with chlorine, fractions affected by (Sollars) 85, 100
Cookie, with chlorine, fractions affected by (Sollars) 100
With ClO_2 for study of lipids (Gilles, Anker, Wheeler, and Andrews) 374
Bran
Amino acid content of, as determined on acid hydrolysates (Horn, Fifield, Blum, and Warren) 411
In flour, method for determination (Deatherage and MacMasters) 380
Proteins of, specific activity with C-14 as tracer (Bilinski and McConnell) 66
Bread (see also succeeding main entries)
Amino acids in, and losses during baking (Horn, Fifield, Blum, and Warren) 411
Antifirming agents for (Ofelt, Mehltretter, MacMasters, Otey, and Senti) 142
Bromate (Br-82-labeled) converted to bromide in (Lee, Tkachuk, and Finlayson) 337
Flavor of, use of bacteria for, in pre-ferments (Robinson, Lord, Johnson, and Miller) 295
Frozen, white rings in (Pence, Standridge, Black, and Jones) 15
Moisture content of, vs. dough ingredients, water absorption, bread yield (Barber and Kennedy) 201
Rolls (dinner and cinnamon), effect of temperature, air velocity, and packaging on freezing and defrosting rates (Kulp and Bechtel) 276
Thiamine in, thiochrome assay (Bechtel and Hollenbeck) 1
Vitamin content of (Calhoun, Bechtel, and Bradley) 350
Yield of, vs. dough ingredients, water absorption, moisture content (Barber and Kennedy) 201
Breadmaking processes, see **Fermentation**
Bread crumb, firming of
Effect of shortening additives on (Ofelt, Mehltretter, MacMasters, Otey, and Senti) 142
Effect of mono- and diglycerides on (Ofelt, MacMasters, Lancaster, and Senti) 137
Retardation at freezing temperatures (Pence and Standridge) 57
Bread crust, amino acid losses in during baking (Horn, Fifield, Blum, and Warren) 411
Bread emulsifiers
Monoglyceride
effect on crumb firmness (Ofelt, Mehltretter, MacMasters, Otey, and Senti) 142
in study of white rings in frozen bread (Pence, Standridge, Black, and Jones) 15
Mono- and diglycerides, effect on crumb firmness (Ofelt, MacMasters, Lancaster, and Senti) 137
Polyoxyethylene stearate, in study of whitening phenomenon (Pence, Standridge, Black, and Jones) 15
Brew process of breadmaking, see **Fermentation**
Bromate, see **Flour improvers,** Bromate
Bromate reaction in dough, influence of flour lipids on (Cunningham and Hlynka) 401
Bromide, from bromate (potassium), conversion in flour (Lee, Tkachuk, and Finlayson) 337

Cakes (see also succeeding main entries)
Baking tests
for quality of soft wheat flour (Sollars) 100
for reconstituted flours (Sollars) 85
Stored (frozen), effect of temperature on firming of crumb (Pence and Standridge) 57

Cake crumb, firming of, effect of freezing temperature on (Pence and Standridge) 57
Cake flour
Bleached and unbleached, fractionation and reconstitution techniques (Sollars) 85
Quality of, bleached and unbleached, test for (Sollars) 85, 100
Calcium caseinate and **calcium perioxide,** dough ingredients, vs.: water absorption, moisture in bread, and bread yield (Barber and Kennedy) 201
Carbohydrates
Polysaccharides, oxidized; effect on dough and baking properties of wheat flour (Neukom and Deuel) 220
Carbon-14, as tracer in wheat plants for biosynthesis study (Bilinski and McConnell) 66
Carotenes, chromatographic method for estimating; adapted for use on grain sorghum (Blessin, Van Etten, and Wiebe) 359
Carotenoids, in hybrid yellow corn and in grain from yellow endosperm-type sorghum (Blessin, Van Etten, and Wiebe) .. 359
Cavities in starch granules
Of corn, nature of and effect of drying temperatures on presence of (Whistler, Spencer, Goatley, and Nikuni) 331
Of bread crumb, whitened; freezing study (Pence, Standridge, Black, and Jones) 15
Central Limit Theorem, for stress relaxation study with wheat dough (Grogg and Melms) . 189
Cereals and cereal products (see also individual grains and products)
Stored, see **Storage studies**
Thiamine in, thiochrome assay (Bechtel and Hollenbeck) 1
Choline phosphatides, in lipid fractions from flour (Mason and Johnston) 435
Chromatographic procedures
For bacterial inhibition in preferments (Robinson, Lord, Johnson, and Miller) 306
For carotenoids in yellow endosperm-type sorghum crosses and hybrid yellow corn (Blessin, Van Etten, and Wiebe) .. 359
Gas and paper, for study of wheat flour phosphatides (Mason and Johnston) 435
For pentosanase activity in corn germ-endosperm separation (Wolf, MacMasters, and Seckinger) 127
Cladosporium, see **Microorganisms**
Color of flour from wheat with Cladosporium growth (Baker, Greer, Hinton, Jones, and Stevens) 260
Continuous batter process, for gluten separation from wheat flour; pilot plant designed for (Anderson, Pfeifer, and Lancaster) 449
Cookie flour, soft wheat, bleached and unbleached, baking test for (Sollars) 100
Cooking quality of rice
Effect of different drying temperatures on (Batcher, Little, Dawson, and Hogan) 428
vs. Variety and drying method (Hogan and Planck) 469
Copper extraction-fractionation of corn, method of analysis for protein and amino acids (Bressani and Mertz) 227
Corn (see also succeeding main entries)
Composition of germ-endosperm interface of kernel (Wolf, MacMasters, and Seckinger) 127
Glutelins of, physical properties (Lloyd and Mertz) 156
Grits and meal, thiamine in, thiochrome assay (Bechtel and Hollenbeck) 1
Guatemalan
electrophoretic study of germ and endosperm extracts (Mertz, Lloyd, and Bressani) 146
protein and amino acid content of (Bressani and Mertz) 227
Hybrid yellow, carotenoids in, by chromatography (Blessin, Van Etten, and Wiebe) 359
Nitrogen in, solubility in artificially dried vs. air-dried (McGuire and Earle) 179
Proteins of
germ and endosperm extracts, electrophoretic analysis (Mertz, Lloyd, and Bressani) 146
solubility changes from artificial drying (McGuire and Earle) 179
in water extracts (Craine and Fahrenholtz) 245
Protein and amino acid content of different varieties (Bressani and Mertz) 227
Samples, rapid method to screen for amylose in starch (Sav-

age, Deatherage, MacMasters, and Senti) 392
Teosinte, protein and amino acids in (Bressani and Mertz) 227
Corn breeding, see **Corn varietal studies**
Corn endosperm
Fractionation of (Mertz, Lloyd, and Bressani) 146
Germ-endosperm separation vs. composition of cementing layer (Wolf, MacMasters, and Seckinger) 127
Nitrogen distribution in (Mertz, Lloyd, and Bressani) 146
Corn starch, amylose in, screening corn samples for (Savage, Deatherage, MacMasters, and Senti) 392
Corn starch granules, cavities in, nature of and partial control by drying temperature (Whistler, Spencer, Goatley, and Nikuni) 331
Corn varietal studies, for protein and amino acid content (Bressani and Mertz) 227
Crumb, see **Bread crumb; Cake crumb**
Crust, see **Bread crust**
Cysteine, to prevent inhibition of beta-amylase by ascorbic acid (Rowe and Weill) 289
Cystine, in bread, assay and losses during baking (Horn, Fifield, Blum, and Warren) 411

Decalso, as adsorbant for thiamine, and rapid method for activating (Bechtel and Hollenbeck) 1
Detergent solution: Duponol-C (sodium lauryl sulfate) for corn protein solubility study (McGuire and Earle) 179
Diglycerides, see **Bread emulsifiers**
Dough(s)
Amino acids in, and losses during baking of bread (Horn, Fifield, Blum, and Warren) 411
In bread yield study, vs.: dough ingredients, water absorption, moisture content of bread (Barber and Kennedy) 201
Bromate (Br-82-labeled) converted to bromide in (Lee, Tkachuk, and Finlayson) 337
Effect of oxidized polysaccharides on (Neukom and Deuel) 220
Flour lipids vs. bromate reaction in (Cunningham and Hlynka) 401
For gluten separation, expansion test (Pfeifer, Vojnovich, and Anderson) 458
Noodle, physical properties of (Shimizu, Fukawa, and Ichiba) 34
Oat flour, gelatinization study with farinograph (Grogg and Caldwell) 196
Reconstituted from fractions of soft wheat flour, acetic acid process, for cakes (Sollars) 85, 100
Soft wheat flour, for study of gluten development and protein solubility as affected by sucrose (Baxter and Hester) 366
Stress relaxation in, studied with modified Extensograph® (Grogg and Melms) 189
Wheat flour, gelatinization study with farinograph (Grogg and Caldwell) 196
Doughs, physical tests; effects of mixing process on extensibility and structural relaxation (Dempster and Hlynka) 483
Drying of corn, protein solubility changes caused by (McGuire and Earle) 179
Drying of corn starch granules, temperature of, to control number of cavities (Whistler, Spencer, Goatley, and Nikuni) 331
Drying of gluten, drum process, for preparing vital wheat gluten; effect of conditions on gluten quality (Pfeifer, Vojnovich, and Anderson) 458
Drying of rice
Effect of varied temperatures on cooking quality (Batcher, Little, Dawson, and Hogan) 428
vs. Hydration characteristics (Hogan and Planck) 469
Drying of wheat, drum process; for vital-gluten preparation (Pfeifer, Vojnovich, and Anderson) 458

Electrophoretic analyses
Of corn germ and endosperm extracts (Mertz, Lloyd, and Bressani) 146
Of corn glutelins (Lloyd and Mertz) 156
Of water extracts of corn (Craine and Fahrenholtz) 245
Endosperm
Of corn
cavities in starch granules of (Whistler, Spencer, Goatley, and Nikuni) 331
fractionation (Mertz, Lloyd, and Bressani) 146
nitrogen distribution in (Mertz, Lloyd, and Bressani) 146

separation from germ vs. composition of cementing layer (Wolf, MacMasters, and Seckinger) 127
Of wheat grains, scoured, moisture penetration into (Campbell) 47
Enzymatic digestion of bread, in thiamine assay (new method) (Bechtel and Hollenbeck) 1
Enzymes
Incubation with, effect on corn germ-endosperm separation (Wolf, MacMasters, and Seckinger) 127
Lipase, distribution in mill products of HRS wheat (Ferrigan and Geddes) 422
Mylase-P, Polidase-S, and Takadiastase, for starch digestion in thiamine assay (Bechtel and Hollenbeck) 1
Extensibility of doughs; effect of mixing time on (Dempster and Hlynka) 483
Extensimeter, for measuring physical properties of Japanese noodles (Shimizu, Fukawa, and Ichiba) 34
Extensigrams and extensigraph studies
Of doughs
for effect of mixing time on extensibility (Dempster and Hlynka) 483
for study of stress relaxation (Grogg and Melms) 189
With flour; effect of oxidized polysaccharides on dough and baking properties of wheat flour (Neukom and Deuel) 220
With Japanese noodles (Shimizu, Fukawa, and Ichiba) 34
Extensograph,® modification of, for study of stress relaxation in wheat flour dough (Grogg and Melms) 189

Farinograms and farinograph studies (see also **Dough, physical tests**)
Gelatinization of starchy materials (Grogg and Caldwell) 196
For evaluating strengthening rate of gluten-flour mixture (Pfeifer, Vojnovich, and Anderson) 458
Fat(s) (see also **Lipids; Shortening**)
Oat oil, added to wheat starch in gelatinization study (Grogg and Caldwell) 196
Fatty acids
In ClO_2-treated flours (Gilles, Anker, Wheeler, and Andrews) 374
From flour phosphatides (wheat), comparative study of (Mason and Johnston) 435
Feed(s)
Amino acids in, distribution (Horn Fifield, Blum, and Warren) 411
Lipase activity in (HRS wheat) (Ferrigan and Geddes) 422
Nitrogen in (Horn, Fifield, Blum, and Warren) 411
Sorghum, carotenoids in, chromatographic method for estimating (Blessin, Van Etten, and Wiebe) 359
Fermentation (see also **Pre-ferments**)
Microorganisms used in, for improving bread flavor (Robinson, Lord, Johnson, and Miller) 295
Pre-ferments, decrease of bacteria in (Robinson, Lord, Johnson, and Miller) 306
Flavor of bread, bacteria used for producing (Robinson, Lord, Johnson, and Miller) 295
Flour(s) (wheat, unless otherwise specified; see also succeeding main entries)
Amino acid content of, as determined on acid hydrolysates (Horn, Fifield, Blum, and Warren) 411
Bacteria (aerobic) in, improving bread flavor (Robinson, Lord, Johnson, and Miller) 295
Baking properties of
effect of oxidized polysaccharides on (Neukom and Deuel) 220
soft wheat, bleached and unbleached, test for (Sollars) 100
Bleaching of, effect on cake and cookie flour fractions (Sollars) 100
Bran in, method for determination (Deatherage and MacMasters) 380
In bread yield study, vs.: dough ingredients, water absorption, moisture content of bread (Barber and Kennedy) 201
Butanol-extracted, yield of recoverable gluten (Communication to the Editor) (Bhatti and McCalla) 240
Cake, see **Cake flour**

Color of, vs. Cladosporium growth on wheat (Baker, Greer, Hinton, Jones, and Stevens) 260
Cookie, see **Cookie flour**
Gelatinization study with farinograph (Grogg and Caldwell) 196
Gluten in
affected by chlorine bleaching (Sollars) 100
separation by continuous batter process (Anderson, Pfeifer, and Lancaster) 449
Lipase activity in (HRS wheat) (Ferrigan and Geddes) 422
Lipids in (see also **Lipids**)
constitution (Gilles, Anker, Wheeler, and Andrews) 374
hard red spring wheat (Ferrigan and Geddes) 422
Japanese, for noodles, vs. Western white wheat (Shimizu, Fukawa, and Ichiba) 34
Oat, gelatinization study with farinograph (Grogg and Caldwell) 196
Particle size of, distribution in reconstituted cake flours (Sollars) 85
Phosphatides of, comparative study (Mason and Johnston) 435
Proteins of, specific activity with C-14 as tracer (Bilinski and McConnell) 66
Reconstituted soft wheat, cake and cookie baking tests (Sollars) 100
In radioactive bromate-to-bromide conversion study (Lee, Tkachuk, and Finlayson) 337
Sample preparation, use of Weston rolls for (Zeleny) 242
Soft wheat, effect of sucrose on solubility of protein (Baxter and Hester) 366
Soy, see **Soybean flour**
Thiamine in, thiochrome assay (Bechtel and Hollenbeck) 1
Vitamin content of spring and winter blends (Calhoun, Bechtel, and Bradley) 350
Western white, vs. Japanese, for noodles (Shimizu, Fukawa, and Ichiba) 34
Flour bags, fabrics for to reduce infestation by hairy spider beetle (Watters) 317
Flour fractionation
Cake and cookie, procedures for (Sollars) 85, 100
For phosphatide study (Mason and Johnston) 435
Soft wheat, for study of gluten development as affected by sucrose (Baxter and Hester) 366
Flour improvers
Bromate, potassium
radioactive, conversion to bromide in doughs and in baked bread (Lee, Tkachuk, and Finlayson) 337
rates of loss in defatted and reconstituted flours (Cunningham and Hlynka) 401
Oxidized polysaccharides, effect of on dough and baking properties of wheat flour (Neukom and Deuel) 220
Fungi, see **Microorganisms**

Gelatinization of starch, see **Starch; Starchy materials**
Germ (see also specific grain)
Brown or black, typical of "sick" wheat (Papavizas and Christensen) 27
Of corn
composition of layer cementing germ to endosperm (Wolf, MacMasters, and Seckinger) 127
electrophoretic analysis of extracts (Mertz, Lloyd, and Bressani) 146
Gliadin, in flour, specific activity with C-14 as tracer (Bilinski and McConnell) 66
Globulin
In flour, specific activity with C-14 as tracer (Bilinski and McConnell) 66
From water extracts of corn (Craine and Fahrenholtz) 245
Glutamic acid, in flour, specific activity with C-14 as tracer (Bilinski and McConnell) 66
Glutenins of corn, amino acids in (Lloyd and Mertz) 156
Gluten (wheat)
In cake and cookie flour, vs. chlorine bleaching (Sollars) 100
Continuous batter process for separating from wheat flour; pilot plant designed for (Anderson, Pfeifer, and Lancaster) 449
Drum-dried, effect of dispersion method on quality of (Pfeifer, Vojnovich, and Anderson) 458
Effect of sucrose on development of (Baxter and Hester) 366
Effects of water-saturated n-butanol on (Communication to the Editor) (Bhatti and McCalla) 240

Glutenin, in flour, specific activity with C-14 as tracer (Bilinski and McConnell) 66
Glyceride (see also **Bread emulsifiers**)
Galactosyl, in flour lipids (Mason and Johnston) 435
Glycerol, as measure of lipase activity in mill products of wheat (Ferrigan and Geddes) 422
Grain (see also specific grains)
Oats, nitrogen in, ratio of alcohol-soluble to total, in developing seeds (Wiggans and Frey) 235
From yellow endosperm-type sorghums, carotenoid content (Blessin, Van Etten, and Wiebe) 359
Sampling of, for thiamine assay (Bechtel and Hollenbeck) 1
Grain sorghum, see **Sorghum**
Grasses, genera related to wheat, lysine content of (Lawrence, Day, Huey, and Lee) 169
Gums, locust bean (oxidized), effect on dough and baking properties of flour (Neukom and Deuel) 220

Hairy spider beetle, see **Insects**
Hydration characteristics of rice, vs. variety and drying method (Hogan and Planck) 469
Hydrogen-ion concentration (pH)
Of cake and cookie flour fractions, changes in (Sollars) 85, 100
Effect on bacterial decrease in pre-ferments (Robinson, Lord, Johnson, and Miller) 306
In study of water-soluble proteins of corn (Craine and Fahrenholtz) 245

Insects, Ptinus villiger (Reit.) (hairy spider beetle); infestation reduced by flour bag fabrics (Watters) 317

Lipase, activity of, in flour and feed from hard red spring wheat (Ferrigan and Geddes) 422
Lipids
In flour
composition vs. baking performance (Mason and Johnston) 435
influence on bromate reaction in dough (Cunningham and Hlynka) 401
unbleached and ClO_2-treated, constitution of (Gilles, Anker, Wheeler, and Andrews) 374
In wheat (HRS) and flour, commercial milling products (Ferrigan and Geddes) 422
Locust bean gum, oxidized, effect on dough and baking properties of wheat flour (Neukom and Deuel) 220
Lysine
In bread, assay, and losses during baking (Horn, Fifield, Blum, and Warren) 411
In corn composite fractions (Bressani and Mertz) 227
In wheat protein, microbiological assay (Lawrence, Day, Huey, and Lee) 169

Macaroni, thiamine in, thiochrome assay (Bechtel and Hollenbeck) 1
Maturing action of flour bleaching agents, see **Bleaching of flour**
Methionine, in bread, assay, and losses during baking (Horn, Fifield, Blum, and Warren) 411
Microbiological assay
Of amino acids in wheat and wheat products (Horn, Fifield, Blum, and Warren) 411
For lysine in wheat protein (Lawrence, Day, Huey, and Lee) 169
Microorganisms: Bacteria, fungi, molds
Bacteria, aerobic, in pre-ferments for production of bread flavor (Robinson, Lord, Johnson, and Miller) 295
Bacteria, decrease of in pre-ferments (Robinson, Lord, Johnson, and Miller) 306
Leuconostoc mesenteroides P-60, for lysine assay in wheat protein (Lawrence, Day, Huey, and Lee) 169
In stored "sick" and sound wheat (Papavizas and Christensen) 27
Streptococcus faecalis, for lysine assay in wheat protein (Lawrence, Day, Huey, and Lee) 169
For vitamin assays in wheat, flour, and bread (Calhoun, Bechtel, and Bradley) 350
On wheat grains (principally Cladosporium), effect on flour color (Baker, Greer, Hinton, Jones, and Stevens) 260
Micromilling, see **Milling,** Experimental
Milk, nonfat dry, and milk fractions, as bread dough ingredient in study of yield vs. moisture content, water absorption (Barber and Kennedy) 201

Milling
Experimental
of corn, artificially dried, for protein solubility study (McGuire and Earle) 179
of wheat with Cladosporium growth (Baker, Greer, Hinton, Jones, and Stevens) ... 260
use of Weston rolls for (Communication to the Editor) (Zeleny) 242
Mixing process
Effect on bromate loss in defatted flour (Cunningham and Hlynka) 401
Effects on physical properties of dough (Dempster and Hlynka) 483
Mixograms, soft wheat flour, effect of sucrose concentration on (Baxter and Hester) 366
Moisture
In bread, vs.: dough ingredients, water absorption, and bread yield (Barber and Kennedy) . 201
In bread crumb, frozen – distribution, and relation to whitening phenomenon (Pence, Standridge, Black, and Jones) 15
Penetration of into endosperm of scoured wheat grains (Campbell) 47
In stored wheat, study of deterioration through fungal invasion (Papavizas and Christensen) 27
Molds, see **Microorganisms**
Monoglycerides, see **Bread emulsifiers**
Mylase-P, see **Enzymes**
Nitrogen
In corn, solubility changes in artificial drying of (McGuire and Earle) 179
In corn germ and endosperm, distribution (Bressani and Mertz) 227
(Mertz, Lloyd, and Bressani) 146
In flour lipid fractions, distribution (Mason and Johnston) 435
In oat seeds, ratio of alcohol-soluble to total (Wiggans and Frey) 235
Physical properties of doughs mixed in (Dempster and Hlynka) 483
In water extracts of corn (Craine and Fahrenholtz) 245
Nonfat dry milk, see **Milk, nonfat dry**
Noodles, physical properties of (Shimizu, Fukawa, and Ichiba) 34
Oats, nitrogen in developing seeds, ratio of alcohol-soluble to total (Wiggans and Frey) 235
Oxidation
Of polysaccharides, with periodic acid; for effect on dough and baking properties of wheat flour (Neukom and Deuel) 220
Of thiamine to thiochrome (Bechtel and Hollenbeck) ... 1
Oxidation-reduction reaction, in bromate-to-bromide conversion (Lee, Tkachuk, and Finlayson) 337
Oxygen, atmospheric, occluded in dough during mixing; effect on structural relaxation (Dempster and Hlynka) 483

Packaging, effect of on freezing and defrosting rates of rolls (Kulp and Bechtel) 276
Particle size, see **Flour,** Particle size
Pentosans, in corn cell walls (Wolf, MacMasters, and Seckinger) 127
Peptization of gluten by sucrose (Baxter and Hester) 366
pH, see **Hydrogen-ion concentration**
Phosphatides, of wheat flour; comparative study (Mason and Johnston) 435
Phosphorus compounds, in water extracts of corn (Craine and Fahrenholtz) 245
Photomicrographs
Of bran particles in flour (Deatherage and MacMasters) 380
Of corn germ-endosperm interface (Wolf, MacMasters, and Seckinger) 127
Of rice starch (Little, Hilder, and Dawson) 111
Of wheat with Cladosporium growth (Baker, Greer, Hinton, Jones, and Stevens) 260
Of whitened bread crumb; freezing study (Pence, Standridge, Black, and Jones) 15
Phytate ions, removal from corn protein (Craine and Fahrenholtz) 245
Polidase-S, see **Enzymes**
Polysaccharides, see **Carbohydrates**
Pre-ferments
Microorganisms in, aerobic
use for flavor production in bread (Robinson, Lord, Johnson, and Miller) ... 295
decrease of (Robinson, Lord, Johnson, and Miller) 306

Protein(s)
Of bran, radioactivity study (Bilinski and McConnell) 66
Of corn, copper extraction-fractionation method (Bressani and Mertz) 227
Of corn, glutelins in; physical properties (Lloyd and Mertz) 156
In corn (high-moisture); solubility changes from artificial drying (McGuire and Earle) 179
Of corn germ and endosperm (Mertz, Lloyd, and Bressani) 146
In corn varieties (Bressani and Mertz) 227
Of flour
isolation of; radioactivity study with C-14 (Bilinski and McConnell) 66
soft wheat; effect of sucrose on solubility (Baxter and Hester) 366
wheat; recovery in continuous batter process for gluten separation (Anderson, Pfeifer, and Lancaster) 449
In noodles (Japanese); vs. physical properties (Shimizu, Fukawa, and Ichiba) 34
In rice (cooked); distribution (Hogan and Planck) 469
In water extracts of corn (Craine and Fahrenholtz) 245
In wheat (HRS) and flour, commercial milling (Ferrigan and Geddes) 422
In wheat, flour, and bread, vitamin assay (Calhoun, Bechtel, and Bradley) 350
Protein biosynthesis in wheat plants, using C-14 compounds (Bilinski and McConnell) 66
Ptinus villiger (Reit.) (hairy spider beetle), flour bag fabrics for reducing infestation by (Watters) 317

Radioactive bromate (Br-82), conversion to bromide in doughs and in baked bread (Lee, Tkachuk, and Finlayson) 337
Radioactive carbon (C-14), in wheat plants; tracer for protein biosynthesis study (Bilinski and McConnell) 66
Reconstitution of flour fractions, for cake baking (Sollars) 85, 100
Rolls, see **Bread**
Rice (white)
Cooking quality of, when dried at different temperatures (Batcher, Little, Dawson, and Hogan) 428
Milled, effect of dilute alkali on (Little, Hilder, and Dawson) 111
Water absorption of, vs. variety and drying method (Hogan and Planck) 469

Salt-rising cultures, aerobic bacteria in; improving bread flavor (Robinson, Lord, Johnson, and Miller) 295
Scoring methods
For cakes, to rate effect of chlorine bleaching on flour (Sollars) 85, 100
For rice, cooking quality (Batcher, Little, Dawson, and Hogan) 428
Scouring of wheat grains
Fungus-affected, to improve flour color (Baker, Greer, Hinton, Jones, and Stevens) 260
Mechanical damage by, vs. subsequent water absorption during washing (Campbell) 47
Sedimentation, in glutelins of corn, analysis (Lloyd and Mertz) 156
Semolina (see also **Macaroni**)
Fungal specks on (Baker, Greer, Hinton, Jones, and Stevens) 260
Shortenings
For bread, see **Bread emulsifiers**
Compounds (lard plus various additives), effect on crumb firmness of bread (Ofelt, Mehltretter, MacMasters, Otey, and Senti 142
Lard, in crumb firmness test with bread (Ofelt, MacMasters, Lancaster, and Senti) 137
Shorts, amino acid content of, as determined on acid hydrolysates (Horn, Fifield, Blum, and Warren) 411
"Sick" wheat, deterioration through fungal invasion (Papavizas and Christensen) 27
Silvering of wheat kernels, method for determining surface area (Hart and Feinstein) 395
Solubility of proteins
In corn, changed in artificial drying (McGuire and Earle) 179
In soft wheat flour (Baxter and Hester) 366
Sorghum, grain of yellow-endosperm type, carotenoids in (Blessin, Van Etten, and Wiebe) 359
Soybean flour, as dough ingredient, vs.: water absorption, moisture in bread, and bread yield (Barber and Kennedy) 201
Spectrophotometric analysis of lip-

ids in wheat flour (Gilles, Anker, Wheeler, and Andrews) 374
Stable-ferment process of breadmaking, see **Fermentation**
Staling
Of bread, see **Bread crumb, firming of**
Of cake, see **Cake crumb, firming of**
Starch (see also **Starchy materials**)
In barley, development during ripening of ear (Harris and MacWilliam) 82
Corn, see **Corn starch; Corn starch granules**
In flour (wheat), recovery in continuous batter process (pilot plant study) (Anderson, Pfeifer, and Lancaster) 449
Oat and wheat, gelatinization study with farinograph (Grogg and Caldwell) 196
Prime fraction in cake and cookie flours, vs. chlorine bleaching (Sollars) 100
In rice (cooked)
distribution (Hogan and Planck) 469
dispersed from kernels soaked in KOH solution (Little, Hilder, and Dawson) 111
Wheat, oxidized, baking test (Neukom and Deuel) 220
Starchy materials, gelatinization in farinograph (Grogg and Caldwell 196
Storage studies (see also **Freezing studies**)
With wheat, in cold and 15-18% moisture, fungal invasion and deterioration (Papavizas and Christensen) 27
Structural relaxation in doughs, effect of mixing process on (Dempster and Hlynka) 483
Structural viscosity of materials, alveograms of (Bloksma) 323
Structure, chemical, of antifirming agents vs. their action in bread (Ofelt, Mehltretter, MacMasters, Otey, and Senti) 142
Structure, microscopic, of germ-endosperm interface in corn kernel (Wolf, MacMasters, and Seckinger) 127
Stress relaxation in dough, studied with modified Extensograph® (Grogg and Melms) 189
Sucrose, effect on gluten development and protein solubility of soft wheat flour (Baxter and Hester) 366
Sugar (see also **Carbohydrates**; individual sugars)
In rice (cooked), distribution (Hogan and Planck) 469
Tenderizing effect on baked products (Baxter and Hester) 366

Takadiastase, see **Enzymes**
Temperature
Baking, effects in bread study (Barber and Kennedy) 201
For cooking rice, effect on hydration characteristics (Hogan and Planck) 469
For drying corn starch granules, effect on presence of cavities (Whistler, Spencer, Goatley, and Nikuni) 331
For drying high-moisture corn, significance in protein solubility changes (McGuire and Earle) 179
For drying rice, effect on cooking quality (Batcher, Little, Dawson, and Hogan) 428
Effect of:
on drum-drying of gluten dispersions (Pfeifer, Vojnovich, and Anderson) 458
on formation of white rings in frozen bread (Pence, Standridge, Black, and Jones) 15
on freezing and defrosting rates of dinner and cinnamon rolls (Kulp and Bechtel) 276
in stored (frozen) cakes, on firming of crumb (Pence and Standridge) 57
Teosinte (corn), protein and amino acids in (Bressani and Mertz) 227
Thiamine assays
In cereal products, thiochrome procedure for (new) (Bechtel and Hollenbeck) 1
In wheat, flour, and bread (Calhoun, Bechtel, and Bradley) 350
Thiochrome assay, see **Thiamine assays**

Viability of wheat seeds, fungal invasion study (Papavizas and Christensen) 27
Viscosity, structural, of materials, alveograms of (Bloksma) 323
Vital wheat gluten, see **Gluten**
Vitamins (see also individual vitamins)
In wheat, flour, and bread; assays (Calhoun, Bechtel, and Bradley) 350

Water absorption
In bread, vs. dough ingredients,

moisture content, and yield (Barber and Kennedy) 201
Of rice, vs. variety and drying method (Hogan and Planck) .. 469
Of wheat grains during washing, after mechanical damage in scouring (Campbell) 47
Water-soluble(s)
From acid fractionations of bleached cake flour (Sollars) 85
Proteins, in corn (Craine and Fahrenholtz) 245
Wheat (see also succeeding main entries)
Amino acid content, as determined on acid hydrolysates (Horn, Fifield, Blum, and Warren) 411
Cladosporium growth on, effect on flour color (Baker, Greer, Hinton, Jones, and Stevens) 260
Kernels of, silvering method for determining surface area (Hart and Feinstein) 395
Lipase activity in (HRS) (Ferrigan and Geddes) 422
Scouring of, see **Scouring of wheat grains**
Stored, see **Storage studies,** With wheat
Thiamine in, thiochrome assay (Bechtel and Hollenbeck) ... 1
Vitamins in spring and winter blends (Calhoun, Bechtel, and Bradley) 350
Wheat grains, mechanical damage to during scouring, vs. subsequent water absorption during washing (Campbell) 47
Wheat plants, protein biosynthesis in, with radioactive carbon (Bilinski and McConnell) 66
Wheat protein, lysine in, microbiological test for (Lawrence, Day, Huey, and Lee) 169
Wheat starch, oxidized; effect on dough and baking properties of wheat flour (Neukom and Deuel) 220
Whey, as dough ingredient, vs.: water absorption, moisture in bread, and bread yield (Barber and Kennedy) 201
White rings in frozen bread (Pence, Standridge, Black, and Jones) 15

X-ray diffraction patterns of bread crumb, freezing study (Pence, Standridge, Black, and Jones) 15
Xanthophylls, chromatographic method for estimating, adapted for use on grain sorghum (Blessin, Van Eaten, and Wiebe) 359

Yeast, in study of bacterial inhibition in pre-ferments (Robinson, Lord, Johnson, and Miller) 306

CONTENTS

NUMBER 1, JANUARY, 1958

PAGE

A Revised Thiochrome Procedure for the Determination of Thiamine in Cereal Products. *W. G. Bechtel and C. M. Hollenbeck* 1

White Rings in Frozen Bread. *J. W. Pence, N. N. Standridge, D. R. Black, and F. T. Jones* 15

Grain Storage Studies. XXVI. Fungus Invasion and Deterioration of Wheats Stored at Low Temperatures and Moisture Contents of 15 to 18 per Cent. *George C. Papavizas and Clyde M. Christensen* 27

Physical Properties of Noodles. *Toru Shimizu, Hideaki Fukawa, and Akiyoshi Ichiba* 34

The Effect of Mechanical Damage to Wheat Grains during Scouring on Their Subsequent Absorption of Water during Washing. *J. D. Campbell* 47

Effects of Storage Temperature on Firming of Cake Crumb. *J. W. Pence and N. N. Standridge* 57

Studies on Wheat Plants Using Carbon-14 Compounds. VI. Some Observations on Protein Biosynthesis. *E. Bilinski and W. B. McConnell* 66

A Note on the Development of the Starch of the Ripening Barley Ear. *G. Harris and I. C. MacWilliam* 82

NUMBER 2, MARCH, 1958

Fractionation and Reconstitution Procedures for Cake Flours. *William F. Sollars* 85

Cake and Cookie Flour Fractions Affected by Chlorine Bleaching. *William F. Sollars* 100

Differential Effect of Dilute Alkali on 25 Varieties of Milled White Rice. *Ruby R. Little, Grace B. Hilder, and Elsie H. Dawson* 111

Composition of the Cementing Layer and Adjacent Tissues as Related to Germ-Endosperm Separation in Corn. *M. J. Wolf, Majel M. MacMasters, and H. L. Seckinger* 127

Effect on Crumb Firmness. I. Mono- and Diglycerides. *C. W. Ofelt, Majel M. MacMasters, Earl B. Lancaster, and F. R. Senti* 137

Effect on Crumb Firmness. II. Action of Additives in Relation to Their Chemical Structure. *C. W. Ofelt, C. L. Mehltretter, Majel M. MacMasters, F. H. Otey, and F R. Senti* 142

Studies on Corn Proteins. II. Electrophoretic Analysis of Germ

and Endosperm Extracts. *Edwin T. Mertz, Norman E. Lloyd, and Ricardo Bressani* 146
Studies on Corn Proteins. III. The Glutelins of Corn. *Norman E. Lloyd and Edwin T. Mertz* 156

NUMBER 3, MAY, 1958

Lysine Content of Wheat Varieties, Species, and Related Genera. *John M. Lawrence, Katherine M. Day, Edith Huey, and Barbara Lee* 169
Changes in the Solubility of Corn Protein Resulting from the Artificial Drying of High-Moisture Corn. *T. A. McGuire and F. R. Earle* 179
A Modification of the Extensograph for Study of the Relaxation of Externally Applied Stress in Wheat Dough. *Ben Grogg and Diane Melms* 189
Gelatinization of Starchy Materials in the Farinograph. *Ben Grogg and E. F. Caldwell* 196
Relationships among Dough Ingredients, Water Absorption, Moisture Content of Bread, and Bread Yield. *Joan Barber and Barbara M. Kennedy* 201
Effect of Oxidized Polysaccharides on Dough and Baking Properties of Wheat Flour. *H. Neukom and H. Deuel* 220
Studies on Corn Proteins. IV. Protein and Amino Acid Content of Different Corn Varieties. *Ricardo Bressani and Edwin T. Mertz* 227
The Ratio of Alcohol-Soluble to Total Nitrogen in Developing Oat Seeds. *S. C. Wiggans and K. J. Frey* 235
Effects of Water-Saturated n-Butanol on Gluten. (Communication to the Editor.) *M. B. Bhatti and A. G. McCalla* 240
Use of Weston Rolls for Preparing Small Samples of Flour. (Communication to the Editor.) *Lawrence Zeleny* 242

NUMBER 4, JULY, 1958

The Proteins in Water Extracts of Corn. *E. M. Craine and K. E. Fahrenholtz* 245
The Effect on Flour Color of *Cladosporium* Growth on Wheat. *G. J. Baker, E. N. Greer, J. J. C. Hinton, C. R. Jones, and D. J. Stevens* 260
The Effect of Temperature and Air Velocity on the Freezing and Defrosting Rates of Some Bakery Products. I. Dinner Rolls and Cinnamon Rolls. *K. Kulp and W. G. Bechtel* 276
The Inhibition of Beta-Amylase by Ascorbic Acid. *Arthur W. Rowe and C. Edwin Weill* 289

The Aerobic Microbiological Population of Pre-Ferments and the Use of Selected Bacteria for Flavor Production. *Robert J. Robinson, Thomas H. Lord, John A. Johnson, and Byron S. Miller* 295

Studies on the Decrease of the Bacterial Population in Pre-Ferments. *Robert J. Robinson, Thomas H. Lord, John A. Johnson, and Byron S. Miller* 306

Value of Cotton and Jute Flour Bags in Reducing Infestation by the Hairy Spider Beetle, *Ptinus villiger* (Reit.). *F. L. Watters* 317

NUMBER 5, SEPTEMBER, 1958

A Calculation of the Shape of the Alveograms of Materials Showing Structural Viscosity. *A. H. Bloksma* 323

Effect of Drying on the Presence of Cavities in Corn Starch Granules. *Roy L. Whistler, W. W. Spencer, J. L. Goatley, and Z. Nikuni* 331

The Conversion of Br-82-Labeled Bromate to Bromide in Nonfermenting and Fermenting Doughs and in Baked Bread. *C. C. Lee, R. Tkachuk, and A. J. Finlayson* 337

The Vitamin Content of Wheat, Flour, and Bread. *W. K. Calhoun, W. G. Bechtel, and W. B. Bradley* 350

Carotenoid Content of the Grain from Yellow Endosperm-Type Sorghums. *C. W. Blessin, C. H. Van Etten, and Richard Wiebe* 359

The Effect of Sucrose on Gluten Development and the Solubility of the Proteins of a Soft Wheat Flour. *Elma J. Baxter and E. Elizabeth Hester* 366

Some Observations on the Constitution of Wheat Flour Lipids Isolated from Unbleached and Chlorine Dioxide-Treated Flours. *K. A. Gilles, C. A. Anker, D. H. Wheeler, and J. S. Andrews* .. 374

A Method for Determination of Bran in Flour. *W. L. Deatherage and Majel M. MacMasters* 380

Note on a Rapid Method to Screen Corn Samples for Approximate Amylose Content in the Starch. *R. R. Savage, W. L. Deatherage, Majel M. MacMasters, and F. R. Senti* 392

A Method for the Determination of the Surface Area of Wheat Kernels. *Joe R. Hart and Louis Feinstein* 395

NUMBER 6, NOVEMBER, 1958

Flour Lipids and the Bromate Reaction. *D. K. Cunningham and I. Hlynka* 401

The Distribution of Amino Acids in Wheat and Certain Wheat Products. *Millard J. Horn, Colburn C. Fifield, Amos E. Blum, and Helen W. Warren* 411

The Distribution of Lipase in the Commercial Mill Products from Hard Red Spring Wheat. *Madelyn Ferrigan and W. F. Geddes* 422
Cooking Quality of White Rice Milled from Rough Rice Dried at Different Temperatures. *Olive M. Batcher, Ruby R. Little, Elsie H. Dawson, and Joseph T. Hogan* 428
Comparative Study of Wheat Flour Phosphatides. *L. H. Mason and A. E. Johnston* 435
Continuous Batter Process for Separating Gluten from Wheat Flour. *R. A. Anderson, V. F. Pfeifer, and E. B. Lancaster* 449
Vital Wheat Gluten by Drum-Drying. I. Effect of Processing Variables. *V. F. Pfeifer, Charles Vojnovich, and R. A. Anderson* .. 458
Hydration Characteristics of Rice as Influenced by Variety and Drying Method. *Joseph T. Hogan and Ralph W. Planck* 469
Some Effects of the Mixing Process on the Physical Properties of Dough. *C. J. Dempster and I. Hlynka* 483
Index to Volume 35 489